ERRATUM Open Access

CrossMark

Erratum to: Use of diffusion magnetic resonance imaging to correlate the developmental changes in grape berry tissue structure with water diffusion patterns

Ryan J. Dean¹, Timothy Stait-Gardner¹, Simon J. Clarke², Suzy Y. Rogiers^{2,3}, Gabriele Bobek⁴ and William S. Price^{1,2,4*}

Erratum to: Plant Methods 2014, 10:35 DOI 10.1186/1746-4811-10-35

Unfortunately, the original version of this article [1] contained an error in Figure 8. In this figure the sub-images have been placed in the wrong order and do not match the corresponding figure legend. The correct version of Fig. 8 can be found below.

¹ Nanoscale Organisation and Dynamics Group, University of Western Sydney, Penrith, NSW 2751, Australia Full list of author information is available at the end of the article



^{*}Correspondence: w.price@uws.edu.au




Fig. 8 DT images of grape berries at five different stages of berry development (*longitudinal plane*). The *images* include a pre-véraison grape at 55 DAF (**a**, voxel size $156 \times 156 \times 1000 \, \mu \text{m}$), a grape undergoing véraison at 70 DAF (**b**, voxel size $164 \times 164 \times 1000 \, \mu \text{m}$), a ripening grape at 85 DAF (**c**, voxel size $172 \times 172 \times 1000 \, \mu \text{m}$), a grape which is at oenological maturity at 95 DAF (**d**, voxel size $125 \times 125 \times 1000 \, \mu \text{m}$) and a post-maturity berry at 109 DAF (**e**, voxel size $172 \times 172 \times 1000 \, \mu \text{m}$). No images are available for 28 and 41 DAF. The *colours in the figure* indicate the direction of least restricted diffusion, as indicated by the image in the bottom right side of the figure. Images are not available for 28 and 41 DAF. *Scale bar* 3 mm

Author details

¹ Nanoscale Organisation and Dynamics Group, University of Western Sydney, Penrith, NSW 2751, Australia. ² National Wine & Grape Industry Centre, Charles Sturt University, Locked Bag 588, Wagga Wagga, NSW 2678, Australia. ³ New South Wales Department of Primary Industries, Locked Bag 588, Wagga Wagga, NSW 2678, Australia. ⁴ School of Medicine, University of Western Sydney, Penrith, NSW 2751, Australia.

The online version of the original article can be found under doi:10.1186/1746-4811-10-35.

Received: 6 January 2016 Accepted: 6 January 2016 Published online: 27 January 2016

Reference

 Dean RJ, Stait-Gardner T, Clarke SJ, Rogiers SY, Bobek G, Price WS. Use of diffusion magnetic resonance imaging to correlate the developmental changes in grape berry tissue structure with water diffusion patterns. Plant Methods. 2014;4(10):35. doi:10.1186/1746-4811-10-35.